॥ जय जिनेंद्र ॥

Price List effective from
1st May 2024

HINTECH®
Connecting Technology

BHAIRAV®

Power Supply...

An ISO 9001 - 2015 Certified Company

PRICE LIST & CATALOGUE

BRAND LIKE AN ALL ROUNDER

- An ISO 9001 : 2015 Certified Company.
- MSME, GeM, PWD Approved.
- CE, RoHS, FcC Certified.
- Experience of 45 years.

Make a Perfect Choice of MAKE IN INDIA

25% EXTRA LIFE


MAKE IN INDIA

45 YEARS EXPERIENCE

Scan for Digitalised contact

Mfg. By
श्री HIMACHAL SWITCHGEAR PRODUCT
Thane - 401 105.
www.shreehimachalswitchgear.com
Email : himachalswitchgear.1@gmail.com

FRONT HANDLE MAIN SWITCH DIN TYPE - HSN CODE 85365090



Note : HRC fuse link not included

Code	Product	Reliable HRC Fuse	A With Enclosure M.R.P.	B Open M.R.P.
1	32 Amps Front Handle Main Switch	00	4300	3400
2	63 Amps Front Handle Main Switch	00	4300	3400
3	125 Amps Front Handle Main Switch	00	6900	5800
4	160 Amps Front Handle Main Switch	00	9200	8100
5	200 Amps Front Handle Main Switch	01	15100	12300
6	250 Amps Front Handle Main Switch	01	15300	12500
7	315 Amps Front Handle Main Switch	02	16300	15000
8	400 Amps Front Handle Main Switch	02	18500	16000
9	630 Amps Front Handle Main Switch	03	43000	38000

REWIRABLE SWITCH FUSE UNIT MAIN SWITCH (S.M.T.P.) • HSN CODE NO. 85365090

Code	Product		M.R.P. Per Unit	STD Packing	
11	16 Amps - 240 Volts	S.M.D.P.	725	24	Single Phase
12	32 Amps - 240 Volts	S.M.D.P.	1155	18	
13	32 Amps - 415 Volts	S.M.D.P.	1760	14	
14	63 Amps - 415 Volts	S.M.D.P.	3360	8	
15	16 Amps - 415 Volts	S.M.T.P.	1370	16	Three Phase
16	32 Amps - 415 Volts	S.M.T.P.	1920	12	
17	63 Amps - 415 Volts	S.M.T.P.	4000	5	
18	100 Amps - 415 Volts	S.M.T.P.	10450	2	
19	200 Amps - 415 Volts	S.M.T.P.N	14510	1	



REWIRABLE SWITCH FUSE UNIT MAIN SWITCH IN IRON CLAD (I.C.T.P.) • HSN CODE 85365090



Code	Product		M.R.P. Per Unit	STD Packing	
21	16 Amps - 240 Volts	I.C.D.P.	860	18	Single Phase
22	32 Amps - 240 Vlots	I.C.D.P.	1415	12	
23	16 Amps - 415 Volts	I.C.T.P.	1810	8	Three Phase
24	32 Amps - 415 Volts	I.C.T.P.	2450	6	
25	63 Amps - 415 Volts	I.C.T.P.	4710	4	
26	100 Amps - 415 Volts (New)	I.C.T.P.N.	16600	1	

• 16 x 415 5HP, 32 x 415 15HP, 63 x 415 25 HP, 100 x 415 40HP, 200 x 415 75 HP

FRONT HANDLE CHANGEOVER SWITCH (ON LOAD) • HSN CODE 85365090



Code	Product	A With Enclosure M.R.P.	B Open Execution M.R.P.
31	63 Amps Front Handle Onload Changeover	6600	6000
32	100 Amps Front Handle Onload Changeover	7150	5100
33	125 Amps Front Handle Onload Changeover	12900	10000
34	160 Amps Front Handle Onload Changeover	14440	10400
35	200 Amps Front Handle Onload Changeover	14900	11200
36	250 Amps Front Handle Onload Changeover	21400	16700
37	320 Amps Front Handle Onload Changeover	22000	17700
38	400 Amps Front Handle Onload Changeover	29500	24000
39	630 Amps Front Handle Onload Changeover	38000	34000

OFF LOAD CHANGE OVER SWITCHES • HSN CODE - 85365090

2 POLE OFF LOAD CHANGE OVER SWITCH

Code	Product	M.R.P. Per Unit	STD Packing
41	16 Amps- 2 Pole Change Over Switch	1375	18
42	32 Amps- 2 Pole Change Over Switch	1840	14
43	63 Amps- 2 Pole Change Over Switch	4100	6





3 POLE OFF LOAD CHANGE OVER SWITCH

Code	Product	M.R.P. Per Unit	STD Packing
44	16 Amps - 3 Pole Change Over Switch	1870	14
45	32 Amps - 3 Pole Change Over Switch	2430	12
46	63 Amps - 3 Pole Change Over Switch	6000	5

4 POLE OFF LOAD CHANGE OVER SWITCH

Code	Product	M.R.P. Per Unit	STD Packing
47	16 Amps - 4 Pole Change Over Switch	2200	12
48	32 Amps - 4 Pole Change Over Switch	2700	12
49	63 Amps - 4 Pole Change Over Switch	6300	5
50	100 Amps - 4 Pole Change Over Switch	10900	3
51	200 Amps - 4 Pole Change Over Switch	16000	1



BUSBAR CHAMBER WITH COPPER STRIPS • HSN CODE 85369030

SIZE : 10" X 10" X 4 "

Code	Product	M.R.P. Per Unit	STD Packing
61	32 Amps - 415 Volt Busbar	1980	14



Code	Product	SIZE A 15" 12" X 4 M.R.P. Per Unit	SIZE B 12" 10" X 4 M.R.P. Per Unit
63	63 Amps - 415 Volt Busbar	3500	2500
64	100 Amps - 415 Volt Busbar	3600	2700
65	200 Amps - 415 Volt Busbar	5000	--
66	300 Amps - 415 Volt Busbar	5700	--
67	400 Amps - 415 Volt Busbar	6800	--
68	500 Amps - 415 Volt Busbar	8640	--
69	600 Amps - 415 Volt Busbar	10800	--



Code	Product	SIZE A 24" 16.5" X 6 M.R.P. Per Unit	SIZE B 18" 16.5" X 6 M.R.P. Per Unit
70	63 Amps - 415 Volt Busbar	7500	7100
71	100 Amps - 415 Volt Busbar	7600	7200
72	200 Amps - 415 Volt Busbar	7800	7300
73	300 Amps - 415 Volt Busbar	9600	9100
74	400 Amps - 415 Volt Busbar	11000	10600
75	500 Amps - 415 Volt Busbar	14000	13000
76	600 Amps - 415 Volt Busbar	16600	15700



Code	Product	SIZE A 36" 18" X 6 M.R.P. Per Unit	SIZE B 36" 24" X 8 M.R.P. Per Unit	SIZE C 43" 26" X 8 M.R.P. Per Unit
77	63 Amps - 415 Volt Busbar	13500	15700	21000
78	100 Amps - 415 Volt Busbar	13900	16200	22000
79	200 Amps - 415 Volt Busbar	14100	16700	23000
80	300 Amps - 415 Volt Busbar	16200	18800	25000
81	400 Amps - 415 Volt Busbar	18250	21000	30800
82	500 Amps - 415 Volt Busbar	22700	25700	35500
83	600 Amps - 415 Volt Busbar	27600	30100	41500
84	800 Amps - 415 Volt Busbar	41000	43000	48000
85	1000 Amps - 415 Volt Busbar	---	55000	60000

HRC BUSBAR CHAMBER WITH FUSE BASE • HSN CODE 85369030



SIZE 17.5" X 12" X 4"

Code	Product	With suitable HRC Base	M.R.P. Per Unit	STD Packing
91	63 Amps - 415 Volt	125 / 415 HRC Base	4100	5
92	100 Amps - 415 Volt	125 / 415 HRC Base	4700	5

Note : HRC fuse link not included

SIZE 24" X 16.5" X 6"

Code	Product	With suitable HRC Base	M.R.P. Per Unit	STD Packing
93	63 Amps - 415 Volt	125 / 415 HRC Base	8100	3
94	100 Amps - 415 Volt	125 / 415 HRC Base	8700	3
95	200 Amps - 415 Volt	250 / 415 HRC Base	9500	3
96	300 Amps - 415 Volt	400 / 415 HRC Base	11900	2
97	400 Amps - 415 Volt	400 / 415 HRC Base	12700	2
98	500 Amps - 415 Volt	630 / 415 HRC Base	14600	2
99	600 Amps - 415 Volt	630 / 415 HRC Base	17300	2



Note : HRC fuse link not included



IP67 BUSBAR IN FIBRE BOXES WITH COPPER STRIPS

CODE	PRODUCT	A 14" X 10" X 6"	B 16" X 12" X 8"	C 20" X 16" X 8"
100	63 AMP	4600	5400	6600
101	100 AMP	4800	5500	7000
102	200 AMP	6000	7000	7800
103	300 AMP	7000	8000	8500

Note : Rates In Customised Size and customised Requirement will be on Demand
All bus bar in **ALLUMINIUM STRIPS** also available on demand

AUTOMATIC CHANGEOVER SWITCH • HSN CODE 85369010

CODE	PRODUCT	SINGLE PHASE (A)	THREE PHASE (B)
104	32 AMP	1750	5300
105	63 AMP	4450	8700
106	100 AMP	--	18680



EARTHING BUS BAR WITH COPPER STRIPS • HSN CODE 85369030

CODE	PRODUCT	7.5" X 11" X 3"	7.5" X 14" X 3"
107	63 AMP	1600	1700
108	100 AMP	1700	1800
109	200 AMP	1900	2100



DIRECT - ON LINE (DOL) MOTOR STARTER (THREE PHASE) • HSN CODE : 85369010

Code	Product	HP	M.R.P. Per Unit	STD Packing
111	1.5A - 2.5A	0.75 - 1.00	1800	20
112	2.5A - 4.00A	1.50, 2.00	1800	20
113	4.0A - 6.5A	2.50, 3.00, 4.00	1800	20
114	6.0A - 10.0A	5.00 / 6.00	1800	20
115	9.0A - 14.0A	7	1800	20
116	13.0A - 21.0A	7.5	1800	20
117	20.0A - 32.0A	10	1950	20



MINI DIRECT ON - LINE (DOL) MOTOR STARTER (SINGLE PHASE) • HSN CODE : 85369010



Code	Product	HP	M.R.P. Per Unit	STD Packing
118	1.5A - 2.5A		1050	35
119	2.5A - 4.0A	0.25	1050	35
120	4.0A - 6.5A	0.5	1050	35
121	6.0A - 10.00A	1	1050	35
122	9.0A - 14.0A	1.5	1050	35
123	13.0A - 21.0A	2	1050	35

SEMI AUTOMATIC DIRECT ON LINE (DOL) MOTOR STARTER • HSN CODE : 85369010

Code	Product	HP	M.R.P. Per Unit	STD Packing
124	9.0A - 14.0A	7.50 - 10.00 A	8000	3
125	13.0A - 21.0A	12.50 - 17.05 A	8000	3
126	20.0A - 32.0A	25.00 - 25.00 A	8000	3





AUTO-MATIC DIRECT ON LINE (DOL) MOTOR STARTER • HSN CODE : 85369010

Code	Product	HP	M.R.P. Per Unit	STD Packing
127	9.0A - 14.0A	7.50 - 10.00 A	8400	3
128	13.0A - 21.0A	12.50 - 17.05 A	8400	3
129	20.0A - 32.0A	25.00 - 25.00 A	8400	3

INTERNAL SPARE PARTS FOR (DOL) MOTOR STARTER • HSN CODE : 85381090



Code	Product	M.R.P. Per Unit	STD Packing
130	Star Coil 440V	430	10
131	Standard Operating Coil (230 / 250V, 400 / 440V) 50 Hz	250	10
132	Spare Kit Set with Genuine Silver Alloy tips 8 mm	250	10
133	Relay (1.5 - 2.5, 2.5 - 4.0, 4.0 - 6.5, 6.0 - 10.0, 9.0 - 14.0, 13.0 - 21.0)	460	10
134	Relay 20.0 - 32.0	510	10
135	Contactor	800	10
136	Push Button Unit	60	100
137	Single Moving Contact	40	100
138	Base & No. 10	90	10
139	Axiallary for Semi / Automatic DOL	265	10
140	Timer for Semi / Automatic DOL	440	10

REVERSE FORWARD SWITCH (L.T. TYPE) • HSN CODE 85365090



Code No.	Type of Switches	Rated Current Amps	No. of Poll	A Open Execution Unit Price Rs.	B In Sheet Steel Housing Unit Price Rs.
141A	RF Magic Plastic Handle	16	3	---	330
141	RF Eco Metal Handle	16	3	---	410
142	RF Eco Unbrekable Handle	16	3	---	410
143	RF Dlx Metal Handle	16	3	---	450
144	RF Dlx Unbrekable Handle	16	3	---	425
145	RF Dlx Unbrekable Handle	25	3	800	900
146	RF Dlx Unbrekable Handle	32	3	850	900
147	RF Mini Metal Handle	32	3	---	600
148	On-Off	32	2	500	600
149	On-Off	32	3	650	770
150	On-Off	32	4	700	820
151	Change Over	32	2	---	800
152	Change Over	32	3	---	1000
153	Change Over	32	4	---	1200
154	Change Over	32	2	Compact →	750
155	Change Over	32	3	Compact →	800
156	Star Delta	32	4	1350	1500

RELIANCE / BSES FUSE (PORCELAIN BASED) • HSN CODE : 85361090

Code	Product	M.R.P. Per Unit	Per Box Packing
161	32 Amps - 415 Volt Bses	105	12
162	63 Amps - 415 Volt Bses	370	3
163	100 Amps - 415 Volt Bses	590	3
161 C	32 Amps with Casting Body	750	1
162 C	63 Amps with Casting Body	1550	1
163 C	100 Amps with Casting Body	2100	1



MSEB / EXCEL K - TYPE FUSE / KITKAT FUSE (PORCELAIN BASED) • HSN CODE : 85361090





Code	Product	M.R.P. Per Unit	Per Box Packing
164	16 Amps - 240 Volt Kitkat	40	24
165	16 Amps - 415 Volt Kitkat	85	12
166	32 Amps - 415 Volt Kitkat	150	12
167	63 Amps - 415 Volt Kitkat	350	12
168	63 Amps - 415 Volt Kitkat 2 Side Lug	480	4
169	100 Amps - 415 Volt Kitkat	620	12
170	100 Amps - 415 Volt Kitkat 1 Side Lug	685	3
171	100 Amps - 415 Volt Kitkat 2 Side Lug	720	3
172	200 Amps - 415 Volt Kitkat	1100	12
173	200 Amps - 415 Volt Kitkat 1 Side Lug	1150	3
174	200 Amps - 415 Volt Kitkat 2 Side Lug	1200	3
175	300 Amps - 415 Volt Kitkat 2 Side Lug	2810	1
176	500 Amps - 415 Volt Kitkat 2 Side Lug	3350	1

M.S.E.B. / T - TYPE FUSE (PORCELAIN BASED) • HSN CODE 85361090

Code	Product	M.R.P. Per Unit	STD Packing
177	100 Amps MSEB T-Type Double Hole Lug	760	1
178	200 Amps MSEB T-Type Double Hole Lug	1410	1
179	300 Amps MSEB T-Type Double Hole Lug	2110	1
180	500 Amps MSEB T-Type Double Hole Lug	2620	1



INTERNAL SPARE PARTS • HSN CODE : 85381090






PARTS DESCRIPTION	Single Phase		Three Phase				
	16 X 240	32 X 240	16 X 415	32 X 415	63 X 415	100 X 415	200 X 415
Top (bridge)	38	93	93	125	220	520	650
Bottom (base)	120	220	220	360	500	650	880
Action Rod With U Contact	185	220	290	360	440	1140	1620
U Contact For Action Rod	46	60	60	65	90	220	350
Only Handle for M.S.	88	93	93	120	130	260	520
Only Spring Action	82	80	80	110	120	200	320
Bronze Contact For base	105	125	125	205	290	360	460
Brass Terminal With Scroe	31	45	45	45	85	310	450
Enshield With Parts M.s.	-	-	-	-	-	900	1100
Brass Rod for Enshield	-	-	-	-	-	170	260
D. B. Top (bridge)	-	-	140	165	-	-	-
D. B. Bottom (base)	-	-	130	240	-	-	-
C/o. Base With Parts	-	-	135	200	360	760	1200
C/o. Action Rod	-	-	380	460	800	1400	2300
Neutral Link	-	-	35	80	150	240	240

LIMIT SWITCH • HSN CODE - 85365090






Product	Product Code	Snap M.R.P. Per Unit	Product Code	Regular M.R.P. Per Unit
Standard Aluminum Housing				
With normal roller lever	BLSRS	390	BLSR	330
With Push Rod	BLSPS	350	BLSP	310
With Angular Roller lever	BLSARS	450	BLSAR	370
Roller with Bracket		55		
Open Element	BMLSE	165	BMLNE	120
Oil / Dust Tight Aluminum Housing				
With normal roller lever	BLSRO	430	BLSRO	420
With Push Rod	BLSPOS	420	BLSPO	390
With Angular Roller lever	BLSARSO	450	BLSARO	430
Minature Limit Swich				
Actuator with Ball	BMLBS	370	BMLB	390
Actuator with Roller	BMLRS	370	BMLR	390
Actuator with Roller lever	BMLRLS	430	BMLRL	400

METAL CLAD PLUG SOCKET & A/C BOX SET • HSN CODE : 85365090



10 AMP - 250 VOLTS TWO POLE & SCRAPING EARTH (10 X 2)

Code	Product	M.R.P. Per Unit	Per Box Packing
201	10 Amps X 2 Pole Plug (2 P + E)	125	20
202	10 Amps X 2 Pole Socket	125	20
203	10 Amps X 2 Pole Plug & Socket with AC Box	500	1

20 AMPS - 250 VOLTS TWO POLE & SCRAPING EARTH (20 X 2)

Code	Product	M.R.P. Per Unit	Per Box Packing
204	20 Amps X 2 Pole Plug Magic (2P+E)	130	20
205	20 Amps X 2 Pole Socket Magic	140	20
206	20 Amps X 2 Pole Plug & Socket With Heavy Eco AC Box	520	1





PB PARTS IN SOCKET

20 AMPS - 250 VOLTS TWO POLE & SCRAPING EARTH (20 X 2) HEAVY

Code	Product	M.R.P. Per Unit	Per Box Packing
208	20 Amps X 2 Pole Plug (2 P + E)	140	10
209	20 Amps X 2 Pole Socket	150	10
210	20 Amps X 2 Pole Plug & Socket with AC Box	565	1

20 AMPS - 440 VOLTS THREE POLE & SCRAPING EARTH (20 X 3)

Code	Product	M.R.P. Per Unit	Per Box Packing
211	20 Amps X 3 Pole Plug (3 P + E)	180	10
212	20 Amps X 3 Pole Socket	210	10
213	20 Amps X 3 Pole Plug & Socket with AC Box	765	1



PB PARTS IN SOCKET

METAL CLAD PLUG SOCKET & A/C BOX SET • HSN CODE : 85365090

30 AMPS - 440 VOLTS THREE POLE & SCRAPING EARTH (30 X 3)

Code	Product	M.R.P. Per Unit	Per Box Packing
214	30 Amps X 3 Pole Plug (3 P + E)	400	6
215	30 Amps X 3 Pole Socket	410	6
216	30 Amps X 3 Pole Plug & Socket With A/c Box	1150	1



PB PARTS IN SOCKET

INDUSTRIAL PLUG, COUPLER, WALL-SOCKET, PANEL SOCKET, TRISHUL • HSN CODE 85365090 IP 44



IP44 3 WAY MULTI CONNECTOR (TRISHUL)

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
221	16 A x 3 Pin Trishul	B1013	480	5	25
222	32 A x 5 Pin Trishul	B1025	1400	4	20

IP44 16 AMPS X 3 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
223	16 A x 3 Pin Plug	B013	78	10	100
224	16 A x 3 Pin Wall Socket	B113	115	10	100
225	16 A x 3 Pin Coupler	B213	95	10	100
226	16 A x 3 Pin Panel Socket	B313	100	20	200





IP44 16 AMPS X 5 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
227	16 A x 5 Pin Plug	B015	135	10	100
228	16 A x 5 Pin Wall Socket	B115	155	10	100
229	16 A x 5 Pin Coupler	B215	140	10	100
230	16 A x 5 Pin Panel Socket	B315	140	16	100

INDUSTRIAL PLUG, COUPLER, WALL-SOCKET, PANEL SOCKET, TRISHUL IP 44
• HSN CODE 85365090



IP44 32 AMPS X 3 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
231	32 A x 3 Pin Plug	B023	135	10	100
232	32 A x 3 Pin Wall Socket	B123	165	10	100
233	32 A x 3 Pin Coupler	B223	145	10	100
234	32 A x 3 Pin Panel Socket	B323	155	16	100

IP44 32 AMPS X 5 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
235	32 A x 5 Pin Plug	B025	165	10	100
236	32 A x 5 Pin Wall Socket	B125	205	10	100
237	32 A x 5 Pin Coupler	B225	185	10	100
238	32 A x 5 Pin Panel Socket	B325	190	16	160



INDUSTRIAL PLUG, COUPLER, WALL-SOCKET, PANEL SOCKET, TRISHUL IP 67
• HSN CODE 85365090



IP 67 16 AMPS X 3 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
239	16 A x 3 Pin Plug	B013	240	10	60
240	16 A x 3 Pin Wall Socket	B113	360	10	60
241	16 A x 3 Pin Coupler	B213	280	10	60

IP 67 (WATERPROOF)

IP 67 32 AMPS X 3 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
245	32 A x 3 Pin Plug	B023	440	10	100
246	32 A x 3 Pin Wall Socket	B123	520	10	100
247	32 A x 3 Pin Coupler	B223	480	10	100



INDUSTRIAL PLUG, COUPLER, WALL-SOCKET, PANEL SOCKET, TRISHUL IP 67
• HSN CODE 85365090

IP67 32 AMPS X 5 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
248	32 A x 5 Pin Plug	B025	630	10	100
249	32 A x 5 Pin Wall Socket	B125	750	10	100
250	32 A x 5 Pin Coupler	B225	750	10	100



IP 67 (WATERPROOF)



IP 67 (WATERPROOF)

IP67 63 AMPS X 5 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
251	63 A x 5 Pin Plug	B035	1050	2	20
252	63 A x 5 Pin Wall Socket	B135	1200	1	10
253	63 A x 5 Pin Coupler	B235	1200	2	20


IP67 125 AMPS X 5 PIN

Code	Product		MRP Per Unit	Per Box Packing	Mst. Carton
254	125 A x 5 Pin Plug	B045	3550	1	10
255	125 A x 5 Pin Wall Socket	B145	3800	1	10
256	125 A x 5 Pin Coupler	B245	3600	1	10



IP 67 (WATERPROOF)

INDUSTRIAL TPN AC BOX SET WITH PLUG, PANEL SOCKET, MCB & WIRING
• HSN CODE 85371000



Code	Product	MCB Range	M.R.P. Per Unit	STD Packing	IP RATING
261	16 A 3 Pin Ac Box Set	16 SP	640	1	IP 44
262	16 A 5 Pin Ac Box Set	16 SP	1340	1	IP 44
263	32 A 3 Pin Ac Box Set	32 SP	830	1	IP 44
264	32 A 5 Pin Ac Box Set	32 FP	1400	1	IP 44
265	63 A 5 Pin Ac Box Set	63 FP	4400	1	IP 67
266	125 A 5 Pin Ac Box Set	100 RCCB	12500	1	IP 67

Note : Multi Ac Box Set are available as per requirement.
*IP 67 Ac Box Set are available in 16 amp & 32 amp also.

INDUSTRIAL AC BOX EMPTY (SHEET STEEL, PHOSPHATISED, POWDER PAINTED • HSN CODE 85371000





Code	Product	M.R.P. Per Unit	STD Packing
	16 A / 3 PIN TO 32 A / 5 PIN		
271	1 Socket Box	190	1
272	1 Socket + 1 Dp Mcb Box	230	1
273	1 Socket + 1 Tpn Mcb Box	300	1
274	2 Socket + 1 Tpn Mcb Box	400	1
275	3 Socket + 1 Tpn Mcb Box	550	1
276	4 Socket + 1 Tpn Mcb Box	600	1
277	5 Socket + 1 Tpn Mcb Box	750	1
278	6 Socket + 1 Tpn Mcb Box	850	1
279	8 Socket + 6 Way Mcb Box	1350	1
280	2 Socket + 2 Tpn Mcb Box	640	1
281	3 Socket + 3 Tpn Mcb Box	800	1
282	4 Socket + 4 Tpn Mcb Box	960	1
283	5 Socket + 5 Tpn Mcb Box	1350	1
284	2 Socket + Indicator + 2 DP + 2 Pin	900	1
63AMP	63 X 5 1 Socket + 1 Tpn Mcb Box	1000	1

TELEPHONE BOX EMPTY (WITHOUT CONNECTOR)

Code	Product	M.R.P. Per Unit	STD Packing
285	10 Pair Telephone Box	450	1
286	20 Pair Telephone Box	600	1
287	30 Pair Telephone Box	620	1
288	50 Pair Telephone Box	820	1
289	100 Pair Telephone Box	1500	1
290	200 Pair Telephone Box	2400	1





CHARGING STATION FOR EV VEHICLE • HSN CODE 85369030

CODE	PRODUCT	M.R.P. Per Unit
291	Single Charging + Sp Mcb	960
292	Double Charging + 2 Sp Mcb	1610
293	Triple Charging + 3 Sp Mcb	2050
294	Single With Space For Charger + Sp Mcb (15"x12"x6")	2500

METAL CLAD AC BOX EMPTY (SHEET STEEL, PHOSPHATISED, POWDER PAINTED, MCB, METAL CLAD AC BOX) • HSN CODE 85371000

COMBINATION AC BOX (EMPTY)

Code	Product	M.R.P. Per Unit	STD Packing
295	20 A X 2 P + 20 A X 3 P Double Ac Box	650	1
296	20 A X 2 P + 30 A X 3 P Double Ac Box	650	1
297	20 A X 3 P + 30 A X 3 P Double Ac Box	650	1
298	20 A X 2 P 4 Socket + FP Mcb Box	600	1
299	20 A X 2 P 6 Socket + FP Mcb Box	780	1
300	20 A X 2 P with DP Mcb Box	300	1



Note : Industrial A/C Box also Available



MULTIPLE SOCKET AC BOX (EMPTY)

Code	Product	M.R.P. Per Unit	STD Packing
	INDUSTRIAL A/C Box / 20 AMP 2 POLE		
301	2 AC (2 Socket + 2 SP)	450	1
302	3 AC (3 Socket + 3 SP)	560	1
303	4 AC (4 Socket + 4 SP)	750	1
304	6 AC (6 Socket + 6 SP)	1120	1
	INDUSTRIAL A/C Box / 20 AMP 3 POLE		
305	2 AC (2 Socket + 2 FP)	640	1
306	3 AC (3 Socket + 3 FP)	800	1
307	4 AC (4 Socket + 4 FP)	960	1
	INDUSTRIAL A/C Box / 30 AMP 3 POLE		
308	2 AC (2 Socket + 2 FP)	640	1
309	3 AC (3 Socket + 3 FP)	800	1
310	4 AC (4 Socket + 4 FP)	960	1

20 AMPS 2 POLE MULTI SOCKET & INDUSTRIAL SOCKET BOX (EMPTY)

Code	Product	M.R.P. Per Unit	STD Packing
311	Two Socket Box	300	1
312	Three Socket Box	400	1
313	Four Socket Box	450	1

Note : ✳ 20 x 3 & 30 x 3 Available (Rates on Demand)



MCB DISTRIBUTION BOARD (SHEET STEEL, PHOSPHATISED, POWDER PAINTED, MCB, INDUSTRIAL AC BOX) • HSN CODE 85371000




VOLTMETER / AMPMETER BOX (EMPTY)

Code	Product	M.r.p. Per Unit	Std Packing
321	1 Voltmeter / Ampmeter Box (72 x 72)	320	1
322	3 Voltmeter / Ampmeter Box (72 x 72)	550	1
323	3 Voltmeter / Ampmeter + Indicator Box (72 x 72)	660	1
324	1 Voltmeter / Ampmeter Box (96 x 96)	320	1
325	3 Voltmeter / Ampmeter Box (96 x 96)	600	1
326	3 Voltmeter / Ampmeter + Indicator Box (96 x 96)	720	1

ROTARY SWITCH BOX (EMPTY)

Code	Product	M.R.P. Per Unit	STD Packing
331	4" X 4" X 3" Rotary Switch Box	250	1
332	6" X 6" X 4" Rotary Switch Box	400	1
333	8" X 8" X 6" Rotary Switch Box	900	1
334	PHASE SELECTOR ENCLOSURE	1150	1





Note : Customised Rotary Box Available



METAL MCB ENCLOSURE WITHOUT BUSBAR NEUTRALING

Code	Product	M.R.P. Per Unit	STD Packing
341	1 / 2 Way (3" X 6")	110	70
342	3 / 4 Way (4" X 7")	130	70
343	2 /4 Way (5" x 10")	250	40
344	4 Way (6" x 12")	390	32
345	6 Way (6" x 12")	390	32

METAL A/C BOX, SOCKET BOX (EMPTY)

Code	Product	M.R.P. Per Unit	STD Packing
351	10 Amp 2 Pole A/c Box	220	60
352	20 Amp 2 Pole A/c Box	220	60
353	20 Amp 3 Pole A/c Box	290	60
354	30 Amp 3 Pole A/c Box	340	60
355	10 Amp 2 Pole Socket Box	160	120
356	20 Amp 2 Pole Socket Box	160	120
357	20 Amp 3 Pole Socket Box	160	120
358	30 Amp 3 Pole Socket Box	170	120
359	4 X 4 Junction Box	160	120



MCB DISTRIBUTION BOARD (SHEET STEEL, PHOSPHATISED, POWDER PAINTED, MCB, DBS WITH BUS BAR, NEUTRAL LINK WITHOUT MCBS • HSN CODE : 85371000



SMART WHITE LINE WITH PC FRAME

Code	Product	M.R.P. Per Unit	STD Packing
361	02 - 04 Smart White Line	270	45
362	06 - 08 Smart White Line	330	40
363	10 - 12 Smart White Line	410	36
364	16 - 18 Smart White Line	620	30
365	Miniguard	300	60
366	1 - 2 PVC Whiteline Eco.	75	10
367	3 - 4 PVC Whiteline Eco.	110	6
368	1 - 2 PVC MCB Box	30	240
369	3 - 4 PVC MCB Box	50	60

WHITE LINE WITH PUSH BUTTON

Code	Product	M.R.P. Per Unit	STD Packing
371	02 - 04 White Line with Push Button	340	45
372	06 - 08 White Line with Push Button	440	40
373	10 - 14 White Line with Push Button	620	36






CLASSIC SINGLE DOOR (SPN) SINGLE PHASE

Code	Product	M.R.P. Per Unit	STD Packing
381	04 Way SPN Single Door	270	40
382	06 Way SPN Single Door	325	40
383	08 Way SPN Single Door	380	40
384	10 Way SPN Single Door	440	40
385	12 Way SPN Single Door	500	36
386	16 Way SPN Single Door	580	30

CLASSIC SINGLE DOOR (TPN) THREE PHASE

Code	Product	M.R.P. Per Unit	STD Packing
391	04 Way TPN Single Door	1035	12
392	06 Way TPN Single Door	1260	12
393	08 Way TPN Single Door	1500	12
394	12 Way TPN Single Door	2160	10
395	16 Way TPN Single Door	2760	10



MCB DISTRIBUTION BOARD (SHEET STEEL, PHOSPHATISED, POWDER PAINTED, MCB, DBS WITH BUS BAR, NEUTRAL LINK WITHOUT MCBS • HSN CODE : 85371000




STAR DOUBLE DOOR (SPN) SINGLE PHASE

Code	Product	M.R.P. Heavy	M.R.P. Lite
401	04 Way SPN Double Door	580	450
402	06 Way SPN Double Door	650	500
403	08 Way SPN Double Door	720	550
404	10 Way SPN Double Door	835	600
405	12 Way SPN Double Door	910	720
406	16 Way SPN Double Door	1060	850

STAR DOUBLE DOOR (TPN) THREE PHASE

Code	Product	M.R.P. Per Unit	STD Packing
411	04 Way TPN Double Door	1560	8
412	06 Way TPN Double Door	1850	8
413	08 Way TPN Double Door	2400	8
415	12 Way TPN Double Door	4100	8
416	12 Way TPN Double Door - Vertical	6000	4
417	4 WAY TPN D/ DOOR PHASE SELECTOR	2950	8





MCB DISTRIBUTION BOARD (SHEET STEEL, PHOSPHATISED, POWDER PAINTED, MCB, DBS WITH BUS BAR, NEUTRAL LINK WITHOUT MCBS • HSN CODE : 85371000



STAR SPN TV/TELEPHONE (SINGLE PHASE)

Code	Product	M.R.P. Per Unit	M.R.P. Lite
421	04 Way Tv / Tel. SPN	1000	880
422	06 Way Tv / Tel. SPN	1100	900
423	08 Way Tv / Tel. SPN	1200	940
424	10 Way Tv / Tel. SPN	1350	1150
425	12 Way Tv / Tel. SPN	1400	1230
426	16 Way Tv / Tel. SPN	2200	2000

STAR TPN TV/TELEPHONE (THREE PHASE)

Code	Product	M.R.P. Per Unit	STD Packing
431	04 Way Tv / Tel TPN	2100	18
432	06 Way Tv / Tel TPN	2600	18





STAR TV TELEPHONE BOX

Code	Product	M.R.P. Per Unit	STD Packing
441	TV / Telephone Box	720	30

MCCB SHEET STEEL ENCLOUSURE

Code	Product	M.R.P. Per Unit	STD Packing
451	MCCB Small Box 12" x 7" x 4"	800	18
452	MCCB Medium Box 14" x 7" x 4"	900	15
453	MCCB Big Box 16" x 10" x 4"	1100	12
454	MCCB Big Box 20" x 10" x 5"	2000	8
455	MCCB Big Box 24" x 12" x 7"	4100	6
456	MCCB Big Box 28" x 12" x 7"	4400	4





IP 67 / IP 44 MULTISOCKT + MCB BOX EMPTY • HSN CODE 85381010

CODE	PRODUCT	MRP Per Unit
461	1 Socket + 4 Way MCB	1030
462	2 Socket + 8 Way MCB	1800
463	3 Socket + 3 TPN MCB	2750
464	4 Socket + 1 TPN MCB	2500
465	4 Socket + 8 Way MCB	2970
466	6 Socket + 12 Way MCB	3700
467	3 Socket + 6 Way MCB with Handle	1610


IP65 WATER PROOF MCB BOX HT SERIES • HSN CODE 85381010

Code	Product	M.R.P. Per Unit	STD Packing
471	HT-2 Way DB Box	160	200
472	HT-5 Way DB Box	240	40
473	HT-8 Way DB Box	540	30
474	HT-12 Way DB Box	800	30
475	HT-6 Way DB Box with Indicator	900	20
476	Industrial AC Socket Box	1200	36



BRASS NEUTRAL LINK
AVAILABLE IN ALL SIZES

Rs. 9/- Per Way



BRASS SHORT LINK
AVAILABLE IN ALL SIZES



Rs. 9/- Per Way

PORCELAIN CONNECTORS WITH BRASS PARTS • HSN CODE : 85366990



Code	Product	M.R.P. Per Unit	Per Box Packing
481	5 Amp 2 Way	15	120
482	5 Amp 3 Way	26	80
483	10 Amp 2 Way	25	60
484	10 Amp 3 Way	36	40
485	15 Amp 1 Way	20	90
486	15 Amp 2 Way	33	45
487	15 Amp 3 Way	55	30
488	15 Amp 4 Way	72	24
489	15 Amp 5 Way	85	36

Code	Product	M.R.P. Per Unit	Per Box Packing
491	30 Amp 2 Way (open)	90	36
492	30 Amp 2 Way	50	36
493	30 Amp 3 Way	72	24
494	60 Amp 2 Way	65	18
495	60 Amp 3 Way	100	12
496	100 Amp 2 Way	190	12
497	100 Amp 3 Way	230	9



PORCELAIN HOLDER WITH BRASS PARTS • HSN CODE : 85366190



Code	Product	M.R.P. Per Unit	STD Packing
501	E. S. Holder Batten type E-27	56	10
502	2 Slot Hoder (B. C. Type)	22	24
503	2 Slot Hoder (Barrel Type)	21	24
504	3 Slot Holder	23	24
505	75 / 500 Halogen Holder	67	25
506	E-40 Holder	120	12
507	150/1000 Halogen Holder	160	25

BRASS GLANDS SINGLE & DOUBLE COMPRESSION (SIEMENS TYPE) • HSN CODE : 85389000

CODE	PRODUCT SIZE	Inch	MM	SINGLE M.R.P.	PKG	DOUBLE M.R.P.	PKG
511	1.5 x 2	3/8"	10 mm	35	200	150	40
512	1.5 x 2	1/2"	12 mm	35	150	150	40
513	2.5 x 2	5/8"	16 mm	35	150	150	40
514	(1.5 x 4) (1.5 x 5-6-7) (2.5 x 4)	3/4"	19 mm	42	100	160	40
515	4 x 4, 4 x 3, 4 x 6	7/8"	22 mm	52	100	225	28
516	2.5 x 7 10 & 12, 10 x 4	1"	25 mm	65	60	280	24
517	16 x 3 & 4	1.1/8"	28 mm	113	36	340	18
518	(25 x 31/2 (4) (35 x 3 ½ & 4	1.1/4"	32 mm	131	36	475	12
519	50 x 3½ x & 4	1.3/8"	35 mm	175	27	570	10
520	70 x 3½, 120 x 3½	1.½"	38 mm	190	21	660	6
521	95 x 3½ x, 3 x 185	1.3/4"	45 mm	250	18	940	4
522	150 x 3½ x 3 x 185	2"	50 mm	300	12	980	4
523	185 x 3½	2.¼"	57 mm	375	8	1130	3
524	240 x 3 & 3½	2.½"	63 mm	470	6	1730	2
525	300 x 3 & 3½	2.3/4	70 mm	540	5	1920	2
526	400 x 3	3"	75 mm	650	3	2350	2
527	400 x 3½	3.1/4	82 mm	700	3	3100	1





PG CABLE GLAND (STANDARD) • HSN CODE 85389000






Code	Product	Nylon M.R.P.	Brass M.R.P.	STD Packing
531	PG Thread Standard Cable Glands PG 7	3	51	100
532	PG Thread Standard Cable Glands PG 9	4	75	100
533	PG Thread Standard Cable Glands PG 11	5	100	100
534	PG Thread Standard Cable Glands PG 13.5	6	122	100
535	PG Thread Standard Cable Glands PG 16	8	125	100
536	PG Thread Standard Cable Glands PG 19	10	190	100
537	PG Thread Standard Cable Glands PG 21	13	190	100
538	PG Thread Standard Cable Glands PG 25	15	320	100
539	PG Thread Standard Cable Glands PG 29	21	320	100
540	PG Thread Standard Cable Glands PG 36	--	500	50
541	PG Thread Standard Cable Glands PG 42	--	660	50
542	PG Thread Standard Cable Glands PG 48	--	900	50

WATERPROOF SERIES JUNCTION BOX & DISTRIBUTION BOX • HSN CODE 85369040

IP 65 WATERPROOF ABS JUNCTION BOX

Code	Product	M.R.P. Per Unit	STD Packing
551	100 x 100 x 70 mm	95	150
552	150 x 110 x 70 mm	180	90
553	150 x 150 x 70 mm	230	72
554	200 x 155 x 80 mm	330	54
555	255 x 200 x 80 mm	450	36
556	200 x 155 x 120 mm Jumbo	540	36
557	255 x 200 x 120 mm Jumbo	650	24
558	300 x 250 x 120 mm Jumbo	950	20
559	400 x 350 x 120 mm Jumbo	1450	12






TRANSPARENT ENCLOSURE

Code	Product	M.R.P. Per Unit	STD Packing
561	200 x 155 x 120 mm	770	36
562	255 x 200 x 120 mm	900	24

TRANSPARENT ENCLOSURE WINDOW

Code	Product	M.R.P. Per Unit	STD Packing
571	2 Pole Window	220	36
572	4 Pole Window	280	24
573	8 Pole Window	430	12
574	Hinges	220	36






PUSH BUTTON STATION • HSN CODE NO. 85365090




Code	Product	M.R.P. Per Unit	STD Packing
581	Push Button 1 Way	70	5
582	Push Button 2 Way	80	5
583	Push Button 3 Way	125	5
584	Push Button 4 Way	160	5
585	Push Button Metal Body (Indicator Box) 1/2	162	5
586	Push Button Metal Body (Indicator Box) 3/4	240	5

ROTARY SWITCHES VOLTAGE 250/440 AC • HSN CODE - 8536

SWITCH SEQUENCE	NO. OF POLES	16 AMP AC		32 AMP AC		40 AMP AC		63 AMP AC	
		CAT NO.	PRICE	CAT NO.	PRICE	CAT NO.	PRICE	CAT NO.	PRICE
ON OFF 	1	B1 12	375	B3 13	450	B4 12	705	B6 13	840
	2	B1 23	435	B3 25	560	B4 23	900	B6 25	1180
	3	B1 34	500	B3 37	730	B4 34	1030	B6 37	1430
	4	B1 45	590	B3 49	820	B4 45	1235	B6 49	1710
2 WAY NO OFF 	1	B1 13A	450	B3 13A	465	B4 13A	860	B6 13A	970
	2	B1 25A	575	B3 25A	650	B4 25A	1150	B6 25A	1435
	3	B1 37A	650	B3 37A	870	B4 37A	1525	B6 37A	1700
	4	B1 49A	795	B3 49A	1010	B4 49A	1750	B6 49A	2040
2 WAY & OFF 	1	B1 13B	450	B3 15B	575	B4 13B	840	B6 15B	1120
	2	B1 25B	590	B3 29B	810	B4 25B	1180	B6 29B	1800
	3	B1 37B	675	B33 13B	1070	B4 37B	1570	B63 13B	2465
	4	B1 49B	850	B34 17B	1325	B4 49B	1800	B64 17B	2970
3 WAY & OFF 	1	B1 13C	480	B3 15C	675	B4 13C	1000	B6 15C	1180
	2	B1 26C	650	B3 29C	870	B4 26C	1380	B6 29C	1850
	3	B1 39C	875	B33 13C	1255	B4 39C	2240	B63 13C	2535
	4	B1 412C	1135	B34 17C	1500	B44 12C	2265	B64 17C	3270
4 WAY NO OFF 	1	B1 13D	490	B3 15D	675	B4 13D	1020	B6 15D	1215
	2	B1 26D	675	B3 29D	900	B4 26D	1460	B6 29D	1945
	3	B1 39D	955	B3 313D	1380	B4 39D	1905	B63 13D	2830
	4	B1 412D	1180	B3 417D	1625	B44 12D	2440	B64 17D	3280
6 WAY NO OFF 	1	B1 13F	925	B3 13F	1040	B4 14F	1165	B61 17F	1830
	2	B1 26F	1125	B3 26F	1540	B4 29F	1825	B62 13F	2830
	3	B1 39F	1530	B3 39F	2150	B4 13F	2690	B63 19F	4060
	4								


AMMETER VOLTMETER SELECTOR ROTARY SWITCH 16 AMP

	AMMETER	B 136 AM	600		VOLTMETER	B1 35VM	575

CAM SWITCHES 10 AMP • HSN CODE - 8536

ON/OFF 60°

POLE	CAT NO	RS.
1	B1 160	180
2	B1 260	210
3	B2 360	225
4	B2 460	260




ON/OFF 90°

POLE	CAT NO	RS.
1	B1 145	180
2	B1 245	210
3	B2 345	225
4	B2 445	260




2 WAY NO-OFF 60°

POLE	CAT NO	RS.
1	B1 16B	205
2	B2 26B	280
3	B3 36B	350
4	B4 46B	425




2 WAY & OFF 60°

POLE	CAT NO	RS.
1	B1 16B0	205
2	B2 26B0	280
3	B3 36B0	350
4	B4 46B0	425



REVERSING OFF 60°

POLE	CAT NO	RS.
2	B22 6RO	280
3	B33 6RO	340



AMMETER 90°

POLE	CAT NO	RS.
1	B44 39AP	350



VOLTMETER 90°

POLE	CAT NO	RS.
1	B3 39VP	280



VN 90°

POLE	CAT NO	RS.
1	B3 49VN	430



ACCESSORIES

IND. PLATE 75 X 75 MM 10 AMP TO 32 AMP Rs. 40.00	IND. PLATE 95 X 95 MM 40 AMP TO 100 AMP Rs. 60.00	KNOB 4.5 MM SMALL KNOB Rs. 30.00	BIG RED KNOB Rs.45.00	DISTAL GRIP HANDLE Rs. 145.00

Note : FN TYPE Rotary Switch also Available.

MINIATURE CIRCUIT BREAKERS • HSN CODE : 85362030



"C" series MCB as per IS-IEC 60898-1.
10 KA with 240/415V,50Hz

RATING	SP	DP	TP	FP
6A-32A	120	280	460	610
40A	160	350	550	720
63A	210	480	700	960

SWITCHING DEVICES-MCB ISOLATORS

RATING	DP	FP
25A	270	540
63A	280	560





MINI TRIP MODULAR

RATING	SP	DP
6A-32A	110	220



TWO WAY CENTRE OF CHANGER OVER SWITCH

RATING	DP	FP
25A	430	850
40A	430	850
60A	700	1400



RCCB (Residual Current Circuit Breaker)

RCCB available in 30 MA 100 MA

RATING	DP	FP
25A	1130	1700
40A	1130	1700
60A	1130	1700
100A	--	3500

Note : Standard Packing SP 12 Pcs. DP 6 Pcs. TP 4 Pcs. FP 3 Pcs.

MOULDED CASE CIRCUIT BREAKERS WITH FIXED THERMAL MAGNETIC SETTING • HSN CODE 85362020

BREAKING CAPACITY (ICU)	FRAME	RATING (A) 415V 50 Hz	3 POLE CODE	M.R.P. PER UNIT	4 POLE CODE	M.R.P. PER UNIT
10 KA	1	32	BH 32 / 3	2050	BH 32 / 4	2900
10 KA	1	63	BH 63 / 3	2150	BH 63 / 4	3100
10 KA	1	80	BH 80 / 3	2350	BH 80 / 4	3300
18 KA	1	100	BH 100 / 3	2300	BH 100 / 4	3300
18 KA	2	125	BH 125 / 3	3300	BH 125 / 4	4300
25 KA	2	160	BH 160 / 3	6700	BH 160 / 4	9500
36 KA	3	160	BH 160 / 3	7100	BH 160 / 4	10000
36 KA	3	200	BH 200 / 3	7800	BH 200 / 4	11000
36 KA	3	250	BH 250 / 3	9200	BH 250 / 4	12200
50 KA	3	400	BH 400 / 3	20200	BH 400 / 4	26100
50 KA	3	500	BH 500 / 3	23000	BH 500 / 4	30000
50 KA	3	630	BH 630 / 3	25800	BH 630 / 4	32200





COMPRESSOR AUTO PRESSURE SWITCH - HSN CODE 9032

Code	Range	Rate M.R.P.	Std. Pkg.	Description
601	PR 15 & 9 & 4	1120	30	without relief valve but with on/off nob
602	PRV 15 & 9 & 4	1220	30	with relief valve and on/off nob
603	PRX 15X & 9X & 4X	1170	30	with relief valve and on/off nob
604	PRVX 15X & 9X & 4X	1320	30	with relief valve and without on/off nob

Note : 15 = 7 to 15 kg (100-213 PSIG)
9 = 2.5 to 9.5 kg (35.5-135 PSIG)
4 = 1 to 4 kg (14 - 60 PSIG)





MINI PILLER • HSN CODE 85369030

PRODUCT	RATE
WITH HRC BASE FUSE	ON DEMAND
HRC BASE FUSE + ALUMINUM BUS BAR	ON DEMAND
WITH INDUSTRIAL PLUG & SOCKET	ON DEMAND

Note : Rates In Customised Size and customised Requirement will be on Demand



ENERGY SUB METER SINGLE PHASE / THREE PHASE • HSN CODE 85365090

ENERGY SUB METER

Code	Product	M.R.P. Per Unit	STD Packing
607	Analogue Single Phase	390	50
608	LCD Single Phase	580	50
609	Analogue Three Phase	1400	30
610	LCD Three Phase	1600	30





FIBER METER BOX, DISTRIBUTION BOX & JUNCTION BOX • HSN CODE 85369090

POLE BOX

Code	Size	Inches	STD. PACKING	TERMINAL FUSE	TERMINAL MCB	ONLY MCB	EMPTY
BH-1512	150 X 125 X 100mm	06 X 05 X 04	36	385	370	340	330
BH-2520	250 X 200 X 100mm	10 X 08 X 04	20	555	545	515	500
BH-3020	300 X 200 X 125mm	12 X 08 X 05	16	645	635	600	590

METER BOX

Code	Size	Inches	Packing	MRP Per Unit	Remark
BHM-2218	220 x 180 x 100mm	09 X 07 X 04	30	700	1Ph Meter Box (Small)
BHM-2522	250 X 225 X 120mm	10 X 09 X 05	20	800	1Ph Meter Box (Regular)
BHM-2522-D	250 X 225 X 160mm	10 X 09 X 06	16	900	1Ph Meter Box (Deep)
BHM-3020	300 X 200 X 105mm	12 X 08 X 04	12	930	1ph meter box (long)
BHM-3525	350 X 250 X 140mm	14 X 10 X 06	12	1500	3ph meter box (Small)
BHM-4030	400 X 300 X 200mm	16 X 12 X 08	05	2200	3ph meter box (Regular)
BHM-4030-D/G	400 X 300 X 200mm	16 X 12 X 08	05	2400	1ph -2 meter box
BHM-5040	500 X 400 X 200mm	20 X 16 X 08	02	4000	1ph-4 / 3ph-2 meter box
BHM-5628	505 X 280 X 160mm	20 X 12 X 06	06	2800	3ph meter box with MCB
BHM-7450	700 X 500 X 400mm	28 X 20 X 08	01	7450	1ph -6 meter box
BHM-10069	900 X 700 X 400mm	36 X 28 X 08	01	14800	1ph -8 meter box

DISTRIBUTION BOX AVAILABLE AS PER REQUIREMENT.


BH-1512


BH-2520


BH-3020


BHM-2522-DB


BHM-2522


BHM-7450


BHM-3020


BHM-4030


BHM-4030-D/G


BHM-5040


BHM-5628


BHM-10069

SINGLE PHASE OPENWELL MCB PANEL HSN CODE NO. 84137010

Sr.	H.P	Run. Cap.	MCB Range	MRP Per Unit	Std. Pkg.
611	0.5	36	10 Amp.	800	20 Pcs.
612	1	50	16 Amp.	860	20 Pcs.
613	1.5/2	36+36	20 Amp.	1200	20 Pcs.
614	3	50+50	32 Amp.	1300	20 Pcs.
615	5	72+72	32 Amp.	1400	20 Pcs.



SINGLE PHASE MAGIC MODEL MCB PANEL HSN CODE NO. 84137010



Sr.	H.P	Run. Cap.	Start Cap.	MCB Range	MRP Per Unit	Std. Pkg.
621	0.5	36	80-100	10 Amp.	1550	20 Pcs.
622	0.75	50	120-150	10 Amp.	1600	20 Pcs.
623	1	60	120-150	16 Amp.	1650	20 Pcs.
624	1	36+25	120-150	16 Amp.	1750	20 Pcs.
625	1.5/2	36+36	150-200	20 Amp.	1850	20 Pcs.
626	3	50+50	200-250	32 Amp.	2050	20 Pcs.

SINGLE PHASE DELUXE MAGIC MODEL MCB PANEL HSN CODE NO. 84137010

Sr.	H.P	Run. Cap.	Start Cap.	Relay Range	MRP Per Unit	Std. Pkg.
631	0.5	36	120-150	6+10	3100	8 Pcs.
632	0.75	50	120-150	6+10	3100	8 Pcs.
633	1	60	120-150	9+14	3150	8 Pcs.
634	1	36+25	120-150	9+14	3200	8 Pcs.
635	1.5	36+36	120-150	9+14	3300	8 Pcs.
636	2	36+36	150-200	13+21	3500	8 Pcs.
637	3	50+50	200-250	20+32	4000	8 Pcs.
638	5	72+72	200-250	20+32	4300	8 Pcs.



SINGLE PHASE DELUXE MAGIC MODEL MCB PANEL HSN CODE NO. 84137010





Code	Size	Amp	Volt	MRP Per Unit	Std. Pkg.
641	72 x 72	5 to 50	300/500	160	10 Pcs.
642	96 x 96	5 to 50	300/500	320	10 Pcs.

FRONT HANDLE ON LOAD ISOCATERS - HSN CODE 85365090



Code	Product	A With Enclosure M.R.P.	B Open Execution M.R.P.
651	125 Amps Front Handle Main Switch	5500	3700
652	160 Amps Front Handle Main Switch	6200	4500
653	200 Amps Front Handle Main Switch	6500	4800
654	250 Amps Front Handle Main Switch	7000	5100
655	315 Amps Front Handle Main Switch	7500	5700
656	400 Amps Front Handle Main Switch	12500	9700
657	630 Amps Front Handle Main Switch	14500	11600


DIN TYPE HRC FUSE LINK FOR 415 VOLTS 50Hz • HSN CODE 85361090



Rating (Amps)	Size	Description	M.R.P. Per Unit	STD Packing
63,80,100,125	00	Suitable for Type FN 100 / 125 / 160	230	3
160	00	Suitable for Type FN 100 / 125 / 160	230	3
200 / 250	01	Suitable for Type FN 250/350	430	3
315,400	02	Suitable for Type FN 400	580	3
630	03	Suitable for Type FN 630 / 800	900	1
800	03	Suitable for Type FN 630 / 800	1100	1

DIN FUSE BASE FOR KNIFE TYPE HRC FUSE LINK • HSN CODE 85361010

Code	Product Rating (A)	M.R.P. Per Unit	STD Packing	Suitable HRC Fuse
661	160 / 415 A HRC Base	200	12	6A to 160A
662	250 / 415 A HRC Base	650	3	32A to 250A
663	400 / 415 A HRC Base	780	3	200A to 400A
664	630 / 415 A HRC Base	1150	3	400A to 630A



Authorised Dealers

Terms & Condition

- All disputes are subject to Mumbai Jurisdiction.
- The price are subject to change without prior notice.
- GST will be charged extra compulsory.
- All price are in Indian Rupees
- Product shown are for representation, actual product may differ.